EAST SEARCH HISTORY

HITS	QUERY	DATABASE					
16	156236	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
0	156236 and borza.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
25	borza-steph$15.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
2	156236 and borza.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
15	4123666	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
0	de4123666	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
11	inteleplex$15.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
1	4123666 and inteleplex$15.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
4	761514	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
14	galunov$15.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
18	((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or boimetry)) same ((mulitiple or several or plurality or many) adj (mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

83	((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or biometry)) same ((multiple or several or plurality or many) adj (mode or action or operation or instruction or procedure or process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
24	((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or biometry)) same ((multiple or several or plurality or many) adj (mode or action or operation or instruction or procedure or process)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
635	(multiple or several or plurality or many or (more adj than adj one)) adj ((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or biometry))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
237	(multiple or several or plurality or many or (more adj than adj one)) adj ((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or biometry)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			

5	((mulitiple or several or plurality or many or (more adj than adj one)) adj ((finger?print or fingerprint or (finger adj1 print)) or (retina or retinal or iris or irides) or (biometric or biometry)) and @ad<19980917) and ((select or choose or change) adj (mode or action or operation or instruction or procedure or process or user or clearance or access or rights or (security adj level) or permission))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
440	(finger?print or fingerprint or (finger adj1 print)) near1 (mulitiple or several or plurality or many)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
178	(finger?print or fingerprint or (finger adj1 print)) near1 (mulitiple or several or plurality or many) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	((finger?print or fingerprint or (finger adj1 print)) near1 (mulitiple or several or plurality or many) same (duration or (length adj2 time) or (period adj2 time) or contin$4)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
680	((finger?print or fingerprint or (finger adj1 print)) same (duration or (length adj2 time) or (period adj2 time) or contin$4)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

295	((finger?print or fingerprint or (finger adj1 print)) with (duration or (length adj2 time) or (period adj2 time) or contin$4)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
111	((finger?print or fingerprint or (finger adj1 print)) with (duration or (length adj2 time) or (period adj2 time))) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	((finger?print or fingerprint or (finger adj1 print)) with (duration or (length adj2 time) or (period adj2 time))) same (mode or action or operation or instruction or procedure or process or user or clearance or access or rights or (security adj level) or permission) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	((finger?print or fingerprint or (finger adj1 print)) with (contact or press or presses or hold or touch or touches) with (duration or (length adj2 time) or (period adj2 time))) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	("4353056" | "5325442" | "5661451" | "5686765" | "5745046").PN.	USPAT
19	5867802.URPN.	USPAT

Query	Database
19	(US-6144293-$ or US-6178255-$ or US-6195648-$ or US-D440568-$ or US-6263090-$ or US-6272562-$ or US-6282304-$ or US-6373148-$ or US-6487662-$ or US-6628813-$ or US-6633090-$ or US-6687391-$ or US-6695207-$ or US-6710700-$ or US-6738810-$ or US-6744910-$ or US-6111977-$ or US-D433413-$ or US-6140939-$).did.	USPAT
4	((US-6144293-$ or US-6178255-$ or US-6195648-$ or US-D440568-$ or US-6263090-$ or US-6272562-$ or US-6282304-$ or US-6373148-$ or US-6487662-$ or US-6628813-$ or US-6633090-$ or US-6687391-$ or US-6695207-$ or US-6710700-$ or US-6738810-$ or US-6744910-$ or US-6111977-$ or US-D433413-$ or US-6140939-$).did.) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	("4438824" | "4694489" | "4821118" | "4972476" | "4993068" | "5229764" | "5283831" | "5420924" | "5457747" | "5471533" | "5495533" | "5596454" | "5598474" | "5619571" | "5680460" | "5712912" | "5790668" | "5799086").PN.	USPAT
4	5995630.URPN.	USPAT
4	5995630.URPN.	USPAT
5	5933515.URPN.	USPAT

24 ("5025705" | "5650842" | "5767842" | "5825352" | "5864334" | "5920642" | "5933515" | "5982913" | "5990803" | "5995643" | "6043805" | "6067079" | "6088585" | "6100811" | "6140939" | "6141436" | "6160903" | "6282303" | "6282304" | "6327376" | "6346929" | "6360004" | "6408087" | "6496595" | "2001/0055411" | "2002/0018585" | "2002/0025062" | "2002/0105666" | "2002/0122026").PN.	USPAT
24 (US-6360004-$ or US-6346929-$ or US-6327376-$ or US-6282304-$ or US-6282303-$ or US-6160903-$ or US-6141436-$ or US-6140939-$ or US-6100811-$ or US-6088585-$ or US-6067079-$ or US-6043805-$ or US-5995643-$ or US-5982913-$ or US-5990803-$ or US-5933515-$ or US-5920642-$ or US-5864334-$ or US-5825352-$ or US-5767842-$ or US-5650842-$ or US-5025705-$ or US-6408087-$ or US-6496595-$).did.	USPAT

19	((US-6360004-$ or US-6346929-$ or US-6327376-$ or US-6282304-$ or US-6160903-$ or US-6282303-$ or US-6160903-$ or US-6141436-$ or US-6140939-$ or US-6100811-$ or US-6088585-$ or US-6067079-$ or US-6043805-$ or US-5995643-$ or US-5990803-$ or US-5982913-$ or US-5933515-$ or US-5920642-$ or US-5864334-$ or US-5825352-$ or US-5767842-$ or US-5650842-$ or US-5025705-$ or US-6496595-$ or US-6408087-$).did.) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
68	((finger?print or fingerprint or (finger adj1 print)) with (scan or captured or capture or scanned or capture or captured or obtain or obtained or acquire or acquired) with (often or (more adj than adj once) or redundan$4 or continuou$5 or (multiple adj times) or (several adj times) or (many adj times) or repetiv$5 or repetit$7 or again)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
8	((finger?print or fingerprint or (finger adj1 print)) with ((number adj times) or (how adj1 often) or (how adj1 many)) with (match or matches or correspond or fit or conform or agree)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			

90 ((finger?print or fingerprint or (finger adj1 print)) with ((number) or (how adj1 often) or (how adj1 many)) with (match or matches or correspond or fit or conform or agree)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
90 ((finger?print or fingerprint or (finger adj1 print)) with ((number) or (how adj1 often) or (how adj1 many)) with (match or matches or correspond or fit or conform or agree)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
8 ((finger?print or fingerprint or (finger adj1 print)) with ((number) or (how adj1 often) or (how adj1 many)) with (match or matches or correspond or fit or conform or agree)) and ((scan or scanned or capture or captured or obtain or obtained or acquire or acquired) with (often or (more adj than adj once) or redundan$4 or continuou$5 or (multiple adj times) or (several adj times))) or ((multiple or many or several or repeatedly or repetitiously or redundantly or constantly or continuously) adj1 (scan or scanned or capture or captured or obtain or obtained or acquire or acquired)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

No.	Hits	Search Query	Databases
34	76964		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	149776		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	1-279778		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	5210797.URPN.		USPAT
36	((finger?print or fingerprint or (finger adj1 print))) with ((scan or scanned or capture or captured or obtain or obtained or acquire or acquired) with (often or (more adj than adj once) or redundan$4 or continuou$5 or (multiple adj times) or (several adj times))) or ((multiple or many or several or repeatedly or repetitiously or redundantly or constantly or continuously) adj1 (scan or scanned or capture or captured or obtain or obtained or acquire or acquired)) and @ad<19980917		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	pettit-rod$8.in.		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	5995643.URPN.		USPAT
38	5815252.URPN.		USPAT

	Query	Databases
18	("415151512" | "4202120" | "4210899" | "4582985" | "4805223" | "4876725" | "4975969" | "4983036" | "4993068" | "5054089" | "5095194" | "5144680" | "5180901" | "5239166" | "5245329" | "5337043" | "5363453" | "5581630").PN.	USPAT
1	5995643.URPN.	USPAT
0	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many)) adj (tap))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many)) adj (press o presses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) adj (tap or tapping))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) adj (contact))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
187	(finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (contact))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

187 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (contact)) and @ay<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
29 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (contact)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
0 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (tap or tapping)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
4 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (press or presses)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
33 (finger?print or fingerprint or (finger adj1 print)) same (tap or tapped or tapping) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
29 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (contacts)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

33 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (contacts or contacted or contacting)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
16 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (press or presses or pressed)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
2 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) adj3 (touch or touches or touched or touching)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
7 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) adj10 (touch or touches or touched or touching)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
11 (finger?print or fingerprint or (finger adj1 print)) same ((number or quanity or (how adj many) or (how adj often)) with (touch or touches or touched or touching)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
72 (finger?print or fingerprint or (finger adj1 print)) same (tap or tapped or tapping)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

2	5420936.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
18	("4218738" | "4246568" | "4353056" | "4429413" | "4464566" | "4526043" | "4563716" | "4582985" | "4599509" | "4641350" | "4691355" | "4694492" | "4731841" | "4805223" | "4817183" | "4952932" | "5157384" | "5202929").PN.	USPAT					
33	5420936.URPN.	USPAT					
1171	(finger?print or fingerprint or (finger adj1 print)) and (tap or tapped or tapping)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					

72	USPAT; US-PGPUB; IBM_TDB					
(US-RE36580-$ or US-6070156-$ or US-6073840-$ or US-6089284-$ or US-6098879-$ or US-6130024-$ or US-6157871-$ or US-6263319-$ or US-6393294-$ or US-6408836-$ or US-6421453-$ or US-6422464-$ or US-6470233-$ or US-6650314-$ or US-6577572-$ or US-4024088-$ or US-4111861-$ or US-4220727-$ or US-RE30796-$ or US-4549807-$ or US-4714255-$ or US-4897875-$ or US-4988575-$ or US-5276435-$ or US-5497293-$ or US-5513272-$),did. or (US-5543030-$ or US-5552012-$ or US-5585170-$ or US-5594438-$ or US-5668603-$ or US-5739864-$ or US-5762779-$ or US-5828773-$ or US-5835199-$ or US-5852670-$ or US-5956415-$ or US-5963679-$),did. or (US-						

0	(finger?print or fingerprint or (finger adj1 print)) same (tap or tapped or tapping) and (not ((US-RE36580-$ or US-6070156-$ or US-6073840-$ or US-608284-$ or US-6130024-$ or US-6098879-$ or US-6157871-$ or US-6263319-$ or US-6393294-$ or US-6400836-$ or US-6421453-$ or US-6422464-$ or US-6470233-$ or US-6577572-$ or US-6650314-$ or US-4024088-$ or US-4111861-$ or US-4220727-$ or US-RE30796-$ or US-4549807-$ or US-4714255-$ or US-4887875-$ or US-4988575-$ or US-5276435-$ or US-5497293-$ or US-5513272-$) did. or (US-5543030-$ or US-5552012-$ or US-5585170-$ or US-5599438-$ or US-5668603-$ or US-5739864-$ or US-5762779-$ or US-5828773-$ or US-5835199-$ or US-5852670-$ or US-5956415-$ or US-5963679-$) did. or (US-2003133423-$ or US-2003200008-$ or US-2003204736-$ or US-2003205481-$ or US-2004015450-$ or US-2004003362-$ or US-2004100928-$ or US-2004101034-$ or US-2001017934-$ or US-2001020198-$ or US-	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	(finger?print or fingerprint or (finger adj1 print)) and (tap or tapped or tapping) and 382.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Hits	Search Query	Databases
47	(finger?print or fingerprint or (finger adj1 print)) and ((touch adj1 pad) or touchpad or touch?pad) and 382.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	(finger?print or fingerprint or (finger adj1 print)) and ((touch adj1 pad) or touchpad or touch?pad) and 382.clas. and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16911426	(number adj (touch or touches)) and fingerprint @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	6400836.URPN.	USPAT
454	(number adj (touch or touches)) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	(number adj (touch or touches)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	(number adj (tap)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(times adj (tap)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(times adj (touch)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	(times adj (touche?)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	(times adj (touches)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	(times adj (touched)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	(number adj (press or presses)) and fingerprint and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Search	Databases
13 (US-3615791-$ or US-4211617-$ or US-5244375-$ or US-5306531-$ or US-5715518-$ or US-6035188-$ or US-5999807-$ or US-5956634-$ or US-5970405-$ or US-5940751-$ or US-5924025-$ or US-5893031-$ or US-5999806-$).did.	USPAT
13 (number adj (press or presses)) and ((US-3615791-$ or US-4211617-$ or US-5306531-$ or US-5244375-$ or US-5715518-$ or US-6035188-$ or US-5999807-$ or US-5956634-$ or US-5970405-$ or US-5940751-$ or US-5924025-$ or US-5893031-$ or US-5999806-$).did.) and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20 (finger?print or fingerprint or (finger adj1 print)) and ((touch adj1 screen) or touchscreen or touch?screen) and 382.clas. and @ad<19980917	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6 ("4151512" | "4310827" | "4817183" | "5140642" | "5852670" | "5892824").PN.	USPAT
8 Senior-Andrew-William.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6 ("4151512" | "4310827" | "4817183" | "5140642" | "5852670" | "5892824").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0 6400836.URPN.	USPAT
2 5933515.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5 5933515.URPN.	USPAT

EAST SEARCH TAGGED

patent #	type	pub date	title	class1	class2	inventor
US 6072891 A	USPAT	20000606	Method of gathering biometric information	382/116	382/124	Hamid, Laurence et al.
US 5867802 A	USPAT	19990202	Biometrically secured control system for preventing the unauthorized use of a vehicle	340/5.53	307/10.2; 307/10.3; 340/426.11; 340/426.14; 340/426.28; 340/5.72; 701/29; 701/32	Borza, Stephen J.
EP 761514 A1	EPO	19970312	METHOD OF CONTROLLING VEHICLES WITH PREVENTION OF UNAUTHORISED ACCESS BASED ON SPEECH ANALYSIS, AND A SYSTEM FOR APPLYING THE PROPOSED METHOD	382/124		TAUBKIN, VLADIMIR LVOVICH et al.
US 5995630 A	USPAT	19991130	Biometric input with encryption	380/54	340/5.26; 340/5..53; 380/200; 380/278; 382/100; 382/116; 382/124; 382/232; 713/176; 713/186	Borza, Michael Andrew
US 2001036299 A1	US-PGPUB	20011101	COMBINED FINGERPRINT ACQUISITION AND CONTROL DEVICE	382/124		SENIOR, ANDREW WILLIAM
US 6421453 B1	USPAT	20020716	Apparatus and methods for user recognition employing behavioral passwords	382/115	340/5.2	Kanevsky, Dimitri et al.
US 6315195 B1	USPAT	20011113	Transaction apparatus and method	235/380	235/487	Ramachandran, Natarajan
US 6160903 A	USPAT	20001212	Method of providing secure user access	382/115	382/116; 382/124	Hamid, Laurence et al.

Document	Source	Date	Title	Class	Cross-reference	Inventor
US 5999637 A	USPAT	19991207	Individual identification apparatus for selectively recording a reference pattern based on a correlation with comparative patterns	382/124	382/280	Toyoda, Haruyoshi et al.
US 5933515 A	USPAT	19990803	User identification through sequential input of fingerprints	382/124	340/5.53; 356/71; 382/115; 382/127	Pu, Allen et al.
US 5815252 A	USPAT	19980929	Biometric identification process and system utilizing multiple parameters scans for reduction of false negatives	356/71	235/492; 340/5.83; 340/5.86; 382/115; 382/116; 382/124	Price-Francis, Stephen
US 5210797 A	USPAT	19930511	Adaptive dictionary for a fingerprint recognizer	382/126	382/127; 382/159	Usui, Toshiyuki et al.
US 4151512 A	USPAT	19790424	Automatic pattern processing system	382/125	382/197; 382/224	Riganati, John P. et al.
US 6140939 A	USPAT	20001031	Biometric characteristic vehicle control system having verification and reset features	340/825.69	340/426.17; 340/426.24; 340/426.28; 340/5.54; 340/539.1; 340/539.11; 340/825.72	Flick, Kenneth E.
US 5680460 A	USPAT	19971021	Biometric controlled key generation	713/186	380/30; 380/44	Tomko, George J. et al.
US 5995643 A	USPAT	19991130	Image input system based on finger collation	382/124	382/116	Saito, Akira